



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005846855

Filing Deadline: July 15, 2013

FRN: 0022561310

Filing Date: 07/05/2013 05:20 AM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: DORO Inc. c/o Duane Morris LLP

Brand Names: Doro PhoneEasy

PO Box:

Street Address: 1540 Broadway

City: New York

State: NY

Zip Code: 10036

Contact Name: Per Carlenhag

Contact Phone: (212) 692-1067

Contact Fax: (212) 208-2514

Contact Email: per.carlenhag@doro.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.doro.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Except for basic information on our US web page is Doro in Cooperation with Consumer Cellulare in joint efforts to secure consumer outreach.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 1

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 4

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Excluded Handsets Number	Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent		
GSM	3	75%			1	25%		4

Handset 1: Doro 618

Handset Maker

Doro

Handset Model Name

618

FCC ID

WS5DORO618

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 11/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/29/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/29/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Doro PhoneEasy 326GSM

Handset Maker

Doro

Handset Model Name

FCC ID

PhoneEasy 326GSM

WS5DORO326328G

Air Interfaces/Frequency Bands

850 MHz GSM
1800 MHz GSM
1900 MHz GSM

Dates

This handset model was offered from: 02/09 to 06/13

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Doro PhoneEasy 345

Handset Maker

Doro

Handset Model Name

FCC ID

PhoneEasy 345

WS5DORO345G

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 09/09 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 04/01/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/01/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 4: Doro PhoneEasy 410

Handset Maker

Doro

Handset Model Name

PhoneEasy 410

FCC ID

WS5DORO410G

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 10/09 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 05/13/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 05/13/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

Jerome Arnaud CEO

07/05/2013 05:20 AM